

Biolab Medical Unit

9 Weymouth Street, London W1W 6DB, UK Tel: (+44) 020-7636-5959/5905 Fax: (+44) 020-7580-3910
E-mail: info@biolab.co.uk Internet: www.biolab.co.uk

Biolab Reference:

Patient: **SAMPLE REPORT**

DOB:

Date:

Doctor:

TOXIC ELEMENTS IN BLOOD

Reference intervals based on ICP-MS analyses of blood samples in trace-element-free EDTA tubes.

ELEMENT	RESULTS	REFERENCE RANGE	COMMENTS
ALUMINIUM (Al)	396	180 – 560 nmol/L	Urine preferred for monitoring Al exposure
ANTIMONY (Sb)	36	6 – 70 nmol/L	Respiratory and circulatory effects
ARSENIC (As)	78	< 60 nmol/L	In water, soil and fish (contains non-toxic organic As). Inorganic As is a neurotoxic carcinogen, with adverse effects on fertility and foetal development. Urine As preferred to diagnose toxicity
BARIUM (Ba)	1	< 20 nmol/L	High concentration in soil; toxic effects involve stimulation, followed by paralysis
BERYLLIUM (Be)	16	<30 nmol/L	CBD – chronic beryllium disease (skin rash)
CADMIUM (Cd)	12	< 27 nmol/L	Carcinogen, can cause osteoporosis. Non smokers <27 nmol/L, smokers <54 nmol/L, significant industrial exposure >90 nmol/L
CHROMIUM (Cr)	15.9	3.6 – 23.1 nmol/L	Chromium (III) is essential for insulin action. Chromium (VI) is carcinogenic.
COBALT (Co)	5.0	0.3 – 10.0 nmol/L	Required as a component of vitamin B12; a possible carcinogen and a myocardial poison in excess; stimulates erythropoiesis
LEAD (Pb)	0.06	< 0.50 µmol/L	Neurotoxic. Adverse effects on fertility or foetal development. Ranges requiring close monitoring: Females (premenopausal) 1.0 – 2.9 µmol/L Males 1.4 – 2.9 µmol/L
MANGANESE (Mn)	97	80 – 200 nmol/L	Significant industrial exposure >360 nmol/L Raised levels associated with cholestasis and Parkinsonian symptoms. Adverse effects on fertility or foetal development
MERCURY (Hg)	28.7	< 15.0 nmol/L	Neurotoxic. Adverse effects on fertility or foetal development. Unexposed range for adults < 15.0 nmol/L Unexposed range for children < 6.0 nmol/L
MOLYBDENUM (Mo)	5.1	2.2 – 85.0 nmol/L	Essential; acts as an enzyme co-factor. Toxic at higher levels
NICKEL (Ni)	20.7	5.0 – 13.0 nmol/L	Sensitising; highly genotoxic carcinogen
SELENIUM (Se)	2.30	1.75 – 3.50 µmol/L	Enhances immune function: toxic effects, e.g. on heart, at higher levels
THALLIUM (Tl)	0.12	< 0.30 nmol/L	May be present in flue dust; from coal burning, and hence on home grown fruit and vegetables. Rodenticide. Can enter cells via K uptake pathways and high affinity for S may disrupt cellular organelles.
TIN (Sn)	9.3	<36.0 nmol/L	Organic tin is more toxic than inorganic and is better absorbed. Lipophilic, affecting cell and organelle membranes. Carcinogen.